CROSSVILLE®

PRODUCT GUIDE

PORCELAIN STONE®


Buenos Aires Mood
Like the city that inspired its name,
Buenos Aires Mood captures the essence of beauty, color, movement and grace to elevate your space as only Crossville can. To learn more, visit www.crossvilleinc.com.

Mosaics* – 2" x 4"

Polished

Unpolished/Polished

Textured

Listellos**
8-1/2" x 12"

Tango

Recoleta

La Boca

*12" x 24" mounted sheets

**two listellos pictured – available in polished only

Polo VS150 Field Tile (shown in a 36 square foot area)

Textured | Unpolished | Polished

24" x 24"

12" x 12"

6" x 6"

12" x 24"

4" x 24"

CROSSVILLE®

La Boca VS151 Field Tile (shown in a 36 square foot area)

Textured | Unpolished | Polished

24" x 24"

12" x 12"

6" x 6"

12" x 24"

4" x 24"

Mosaics* – 2" x 4"

Polished

Unpolished/Polished

Textured

Listellos** 8-1/2" x 12"

Tango

Recoleta

La Boca

*12" x 24" mounted sheets

**two listellos pictured – available in polished only

Mosaics* – 2" x 4"

Polished

Unpolished/Polished

Textured

Listellos**
8-1/2" x 12"

Tango

Recoleta

La Boca

*12" x 24" mounted sheets

**two listellos pictured – available in polished only

Pampa VS152 Field Tile (shown in a 36 square foot area)

Textured | Unpolished | Polished

24" x 24"

12" x 12"

6" x 6"

12" x 24"

4" x 24"

CROSSVILLE®

Recoleta VS153 Field Tile (shown in a 36 square foot area)

Textured | Unpolished | Polished

24" x 24"

12" x 12"

6" x 6"

12" x 24"

4" x 24"

Mosaics* – 2" x 4"

Polished

Unpolished/Polished

Textured

Listellos** 8-1/2" x 12"

Tango

Recoleta

La Boca

*12" x 24" mounted sheets

**two listellos pictured – available in polished only

Mosaics* – 2" x 4"

Polished

Unpolished/Polished

Textured

Listellos**
8-1/2" x 12"

Tango

Recoleta

La Boca

*12" x 24" mounted sheets

**two listellos pictured – available in polished only

Tango VS154 Field Tile (shown in a 36 square foot area)

Textured | Unpolished | Polished



24" x 24"



12" x 12"



6" x 6"



12" x 24"

4" x 24"

CROSSVILLE®

www.crossvilleinc.com

Buenos Aires Mood

- Five luxurious, contemporary colors
- A sophisticated and elegant alternative to natural stone
- Multistrato Technology creates subtle shading, fluidity and movement within each color
- Consistency of color and visual image for blended, aesthetically pleasing installations
- Textured finish suitable for exterior usage
- Multiple sizes and rectified edges for maximum design versatility and flexibility

Sizes Available

Nominal Size	Nominal Thickness	Actual Size (mm)	Actual Thickness (mm)
6" x 6"	3/8"	147 x 147	10.5
12" x 12"	3/8"	297 x 297	10.5
4" x 24"	3/8"	97 x 597	10.5
12" x 24"	3/8"	297 x 597	10.5
24" x 24"	3/8"	597 x 597	10.5
2" x 4" Mosaics*	3/8"	297 x 597	10.5
8-1/2" x 12" Listello	3/8"	218 x 297	10.5

*12" x 24" mounted sheet

Trim Sizes

3" x 12" Single Bullnose	85 x 297
6" x 12" Cove Base	149 x 297
6" x 8" Cove Base Corner - right	149 x 197
6" x 8" Cove Base Corner - left	149 x 197

3" x 12" Single Bullnose


6" x 12" Cove Base

6" x 8" Cove Base Corner Right


6" x 8" Cove Base Corner Left

Shade & Texture Index

Buenos Aires Mood has a shade variation V3.

V1

V2

V3

V4

V1=Uniform Appearance
V2=Slight Variation
V3=Moderate Variation
V4=Substantial Variation

Recommended Usage

Buenos Aires Mood (polished and unpolished) is recommended for interior walls and floors and exterior walls in both commercial and residential applications. The textured finish is recommended for interior and exterior walls and floors and exterior paving.

Crossville recommends designing all exterior walking surfaces to provide adequate drainage in order to prevent standing water. Polished tile is not recommended for wet areas or where standing water may occur.

Installation Notes

Prior to grouting, application of a penetrating sealer is recommended on Buenos Aires Mood polished finish.

For pattern ideas and corner treatment options, visit www.crossvilleinc.com.

Care & Maintenance

Regular cleaning is the best way to keep Buenos Aires Mood tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth to prevent spots. More information regarding the care and maintenance of Crossville products is available at www.crossvilleinc.com.

Product Performance

Breaking Strength		>425 lbf.	ASTM C648
Bond Strength		>200 psi	ASTM C482
Abrasive Wear		>250	ASTM C501
Chemical Resistance		Unaffected	ASTM C650
Frost Resistance		Resistant	ASTM C1026
Water Absorption		<0.10%	ASTM C373
Scratch Hardness		6	MOH's Scale
COF-Dry	PO	>0.6	ASTM C1028-89
	UP	>0.7	
	TX	>0.7	
COF-Wet	PO	N/A	ASTM C1028-89
	UP	>0.6	
	TX	>0.7	

LIFETIME WARRANTY

CROSSVILLE®
ELEVATE YOUR SPACE

Crossville, Inc. • P.O. Box 1168, Crossville, TN 38557
Phone: 931.484.2110 • Fax: 931.456.2956
E-Mail: crossc@crossvilleinc.com • **www.crossvilleinc.com**

LIT-BAM-C8-06