

Wood Impressions



PORCELAIN STONE®

 CROSSVILLE®



Products featured in photo above:
AV195 Brazilian Cherry 6" x 6", 6" x 18"

Wood Impressions

The beauty of wood; the durability of Porcelain Stone®.

Wood Impressions is a thoroughly modern take on a classic.

Long lines mimic wood planking while mosaics introduce an

unexpected twist for a decidedly "impressive" look.



Products featured in photo above:
AV193 Barnwood Gray 6" x 36"



Products featured in photo and floor detail above:
AV194 Gunstock 3" x 18", 6" x 18"



AV191 Willow



AV192 Birch




AV193 Barnwood Gray



AV194 Gunstock



AV195 Brazilian Cherry



AV196 Black Walnut

Sizes




6" x 36"



6" x 12"



3" x 3" Mosaics




6" x 18"



3" x 18"



6" x 6"



Products featured in photo and floor detail above:
AV196 Black Walnut 6" x 36"



Product featured in photo above: AV191 Willow 6" x 12"

Wood Impressions

Sizes (Available in all colors)

Nominal	Actual (mm)	Thickness (mm)
3 x 3 Mosaics*	72 x 72	10.5
3 x 18	72 x 447	10.5
6 x 6	147 x 147	10.5
6 x 12	147 x 297	10.5
6 x 18	147 x 447	10.5
6 x 36	147 x 897	10.5

*Mounted on 11-3/4 x 11-3/4 sheets

All sizes are rectified and modular with a 3mm grout joint.

Trim (Available in all colors)

3 x 18 Single Bullnose	72 x 447	10.5
------------------------	----------	------



3 x 18 Single Bullnose

Product Performance

Breaking Strength	>450 lbf.	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.10%	ASTM C373
Scratch Hardness	7	MOH's Scale
Coefficient of Friction		
Dry	>0.7	ASTM C1028
Wet	>0.6	ASTM C1028

Shade & Texture Index

Wood Impressions has a shade variation of V2.



V1=Uniform Appearance
V2=Slight Variation
V3=Moderate Variation
V4=Substantial Variation

Care and Maintenance

Regular cleaning is the best way to keep Wood Impressions tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth to prevent water spots. No waxes or sealers are needed. More information regarding the care and maintenance of Crossville® products is available at www.crossvilleinc.com.

Recommended Use

Wood Impressions is recommended for interior floors, walls and countertops and exterior walls in both residential and commercial applications. If offset is required for rectangles longer than 12 inches, Crossville® recommends an offset of not greater than 33%. See crossvilleinc.com for detailed installation instructions.

Coverage of Rectified Tile Products

Crossville® prices and sells its products by the square foot using the nominal size measurement. Actual coverage may vary based on the actual size and grout joint; particularly with rectified tiles. To ensure correct coverage, calculate actual tile size and include the specified grout joint.

